





Auto-Drain™ Shower Systems

Reduce the risk of waterborne pathogens and eliminate water stagnation.



With an Auto-Drain™ shower, the water automatically drains from the system after each use.



The Auto-Drain™ Shower System

Our Auto-Drain™ system is designed to help reduce stagnant water in the valve, pipes, and hoses of the shower system. Drains integrated into the valve and hand spray hose remove water from the system after each use.

- a** **Shower Valve With Scald Protection**
Provides protection from scalding and thermal shocks by monitoring water temperature and/or pressure.
- b** **Auto-Drain™**
When shower is shut off, water drains automatically from the valve in less than a minute.
- c** **Diverter Valve**
Allows user to switch between shower head and hand shower.
- d** **Auto-Drain™ Hand Spray and Hose**
After each use, water is drained automatically from the spray and hose.*

Valve and trim options

The automatic drain shower system includes a choice of two valve and five trim designs and an integrated or separate drain valve.


Pressure Balancing Shower Valves



Round with integrated valve drain

Round with separate valve drain

Thermostatic/Pressure Balancing Valves



Round with integrated valve drain

Round with separate valve drain

Square with separate valve drain



See it in action.
chicagofaucets.com/autodrain



*Wall elbow must be level with base of hand spray to drain properly.

Auto-Drain™ Pressure Balancing Systems

Helps reduce stagnant water in the valve, pipes, and hoses of the shower system after each use.



Integrated Drain Valve and Trim

Model No.	Description
1911-VONF	Valve Only
1911-VOCCP	Valve with Trim
SH-TK6-00-000	Trim Kit Only



Separate Drain Valve and Trim

Model No.	Description
1910-VONF	Valve Only
SH-PB1-00-000	Valve with Trim
1910-002KJKCP	Trim Kit Only



With Shower Head

	Model No.	Shower Head
	SH-PB4-03-000	Adjustable pattern, 1.5 GPM (600-LCP)
Integrated Drain	SH-PB4-05-000	Ligature resistant, 1.5 GPM (621-LCP)
	SH-PB4-07-000	Adjustable pattern, 1.5 GPM (622-LCP)
Separate Drain	SH-PB5-03-000	Adjustable pattern, 1.5 GPM (600-LCP)



With ADA Grab Bar

	Model No.	Description	Hand Spray Assembly	Grab Bar
Integrated Drain	SH-PB4-00-043	Hand spray only	1.5 GPM, 69.5" stainless steel hose	24" (9800-024CP)
	SH-PB4-00-044	Hand spray only	1.5 GPM, 69.5" stainless steel hose	36" (9800-036CP)
Separate Drain	SH-PB5-00-044	Hand spray only	1.5 GPM, 69.5" stainless steel hose	36" (9800-036CP)



With Slide Bar

	Model No.	Description	Hand Spray Assembly	Slide Bar
Integrated Drain	SH-PB4-00-041	Hand spray only	1.5 GPM, 69.5" stainless steel hose	24" (9800-124CP)
	SH-PB4-00-042	Hand spray only	1.5 GPM, 69.5" stainless steel hose	48" (9800-148CP)



Auto-Drain™ Thermostatic/Pressure Balancing Systems With Integrated Drain

Helps reduce stagnant water in the valve, pipes, and hoses of the shower system after each use, extra scald protection.

Integrated Drain Valve and Trim



Model No.	Description
1921-VONF	Valve Only
1921-VOCCP	Valve with Trim
SH-TK4-00-000	Trim Kit Only

Integrated Drain With Shower Head



Model No.	Shower Head
SH-TP4-01-000	Adjustable pattern, 2.5 GPM (600-CP)
SH-TP4-02-000	Swivel mount, 2.5 GPM (620-CP)
SH-TP4-04-000	Ligature resistant, 2.0 GPM (621-CP)
SH-TP4-06-000	Adjustable pattern, 2.5 GPM (622-CP)



Integrated Drain With ADA Grab Bar



Model No.	Description	Shower Head	Hand Spray	Hose	Diverter	Grab Bar
SH-TP4-00-023	Hand spray only	n/a	2.5 GPM (624-CP)	69.5" stainless steel (150-ADCP)	n/a	24" (9800-024CP)
SH-TP4-00-024	Hand spray only	n/a	2.5 GPM (624-CP)	69.5" stainless steel (150-ADCP)	n/a	36" (9800-036CP)
SH-TP4-22-023	Hand spray and shower head	Adjustable pattern, 2.5 GPM (600-CP)	2.5 GPM (624-CP)	69.5" stainless steel (150-ADCP)	Valve and trim (774-CP)	24" (9800-024CP)
SH-TP4-22-024	Hand spray and shower head	Adjustable pattern, 2.5 GPM (600-CP)	2.5 GPM (624-CP)	69.5" stainless steel (150-ADCP)	Valve and trim (774-CP)	36" (9800-036CP)

Integrated Drain With Slide Bar



Model No.	Description	Shower Head	Hand Spray	Hose	Diverter	Slide Bar
SH-TP4-00-021	Hand spray only	n/a	2.5 GPM (624-CP)	69.5" stainless steel (150-ADCP)	n/a	24" (9800-124CP)
SH-TP4-00-022	Hand spray only	n/a	2.5 GPM (624-CP)	69.5" stainless steel (150-ADCP)	n/a	48" (9800-148CP)
SH-TP4-22-021	Hand spray and shower head	Adjustable pattern, 2.5 GPM (620-CP)	2.5 GPM (624-CP)	69.5" stainless steel (150-ADCP)	Valve and trim (774-CP)	24" (9800-124CP)
SH-TP4-22-022	Hand spray and shower head	Adjustable pattern, 2.5 GPM (620-CP)	2.5 GPM (624-CP)	69.5" stainless steel (150-ADCP)	Valve and trim (774-CP)	48" (9800-148CP)

Auto-Drain™ Thermostatic/Pressure Balancing Systems With Separate Drain

Helps reduce stagnant water in the valve, pipes, and hoses of the shower system after each use, extra scald protection.

Separate Drain Valve and Trim

Model No.	Description
1920-VONF	Valve Only
1920-VOCRCP	Valve with Round Trim
1920-VOCSCP	Valve with Square Trim
SH-TK1-00-000	Trim Kit Only, Round
SH-TK2-00-000	Trim Kit Only, Square



Separate Drain With Shower Head

	Model No.	Shower Head
Round Trim	SH-TP5-01-000	Adjustable pattern, 2.5 GPM (600-CP)
	SH-TP5-06-000	Adjustable pattern, 2.5 GPM (622-CP)
Square Trim	SH-TP6-01-000	Adjustable pattern, 2.5 GPM (600-CP)
	SH-TP6-06-000	Adjustable pattern, 2.5 GPM (622-CP)

Separate Drain With ADA Grab Bar

Model No.	Description	Shower Head	Hand Spray	Hose	Diverter	Grab Bar
SH-TP6-00-023	Round trim, w/ hand spray only	n/a	2.5 GPM (624-CP)	69.5" stainless steel	n/a	24" (9800-024CP)
SH-TP5-00-024	Square trim, w/ hand spray only	n/a	2.5 GPM (624-CP)	69.5" stainless steel	n/a	36" (9800-036CP)
SH-TP5-21-023	Round trim, w/ hand spray and shower head	Adjustable pattern, 2.5 GPM (600-CP)	2.5 GPM (624-CP)	69.5" stainless steel	Valve and trim (774-CP)	24" (9800-024CP)
SH-TP6-31-024	Square trim, w/ hand spray and shower head	Adjustable pattern, 2.5 GPM (600-CP)	2.5 GPM (624-CP)	69.5" stainless steel	Valve and trim (773-CP)	36" (9800-036CP)

Separate Drain With Slide Bar

Model No.	Description	Shower Head	Hand Spray	Hose	Diverter	Slide Bar
SH-TP5-00-021	Round trim, w/ hand spray only	n/a	2.5 GPM (624-CP)	69.5" stainless steel	n/a	24" (9800-124CP)
SH-TP6-00-022	Square trim, w/ hand spray only	n/a	2.5 GPM (624-CP)	69.5" stainless steel	n/a	48" (9800-148CP)
SH-TP5-21-021	Round trim, w/ hand spray and shower head	Adjustable pattern, 2.5 GPM (600-CP)	2.5 GPM (624-CP)	69.5" stainless steel	Valve and trim (774-CP)	24" (9800-124CP)
SH-TP6-31-022	Square trim, w/ hand spray and shower head	Adjustable pattern, 2.5 GPM (600-CP)	2.5 GPM (624-CP)	69.5" stainless steel	Valve and trim (773-CP)	48" (9800-148CP)

Configure an **Auto-Drain™ Pressure Balancing System**
A single model number for everything you need for your project.



Build your own shower system with the components you want and order with a single number. Your model number must begin with "SH-PB4" or "SH-PB5". The remaining spaces must have a number or "0" for none. Refer to chart on the bottom of the page.

Position	1	2	3	4	5
SH-PB4 – Integrated Drain	X	X	–	X	X
SH-PB5 – Separate Drain	X	X	–	X	X

Model number example: SH-PB5-37-042

System with a pressure balance valve with round trim (PB5), diverter valve (3), 622-LCP shower head (7), no tub spout (0), 624-LCP hand spray assembly (4), and a 9800-148CP slide bar (2).

1 Diverter Valve



3 773-CP

Insert "0" in none.

2



1 600-CP 2.5 GPM



2 620-CP 2.5 GPM

3 620-LCP 1.5 GPM



4 621-CP 2.0 GPM

5 621-LCP 1.5 GPM



6 622-CP 2.5 GPM

7 622-LCP 1.5 GPM

Insert "0" in none.

3

Tub Spout



0 Not available

4 Hand Spray Assembly



2 2.5 GPM hand spray, 69.5" Auto-Drain stainless steel hose

3 2.5 GPM hand spray, 69.5" Auto-Drain white vinyl hose

4 1.5 GPM hand spray, 69.5" Auto-Drain stainless steel hose


5 1.5 GPM hand spray, 69.5" Auto-Drain white vinyl hose

6 1.75 GPM hand spray, 69.5" Auto-Drain stainless steel hose

7 1.75 GPM hand spray, 69.5" Auto-Drain white vinyl hose

Insert "0" in none.

5 Grab/Slide Bars



1 9800-124CP



2 9800-148CP



3 9800-024CP



4 9800-036CP

Insert "0" in none.

Auto-Drain™ Pressure Balancing Configurator Reference Chart

Position	Code	Description
1	0	No Diverter Valve
	3	773-CP Diverter Valve With Modern Lever Handle
2	0	No Shower Head
	1	600-CP 2.5 GPM Shower Head with Adjustable Spray
	2	620-CP 2.5 GPM Shower Head with Swivel Mount
	3	620-LCP 1.5 GPM Shower Head with Swivel Mount
	4	621-CP 2.0 GPM Ligature Resistant Shower Head
	5	621-LCP 1.5 GPM Ligature Resistant Shower Head
	6	622-CP 2.5 GPM Shower Head with Adjustable Spray
7	622-LCP 1.5 GPM Shower Head with Adjustable Spray	
3	0	No Tub Spout

Position	Code	Description
4	0	No Hand Spray
	2	2.5 GPM Spray, 69.5" Stainless Steel Hose, Elbow, Auto-Drain
	3	2.5 GPM Spray, 69.5" White Vinyl Hose, Elbow, Auto-Drain
	4	1.5 GPM Spray, 69.5" Stainless Steel Hose, Elbow, Auto-Drain
	5	1.5 GPM Spray, 69.5" White Vinyl Hose, Elbow, Auto-Drain
	6	1.75 GPM Spray, 69.5" Stainless Steel Hose, Elbow, Auto-Drain
	7	1.75 GPM Spray, 69.5" White Vinyl Hose, Elbow, Auto-Drain
5	0	Wall Hook Only, No Slide or Grab Bar
	1	9800-124CP 24" Stainless Steel Slide Bar
	2	9800-148CP 48" Stainless Steel Slide Bar
	3	9800-024CP 24" ADA Grab Bar
4	9800-036CP 36" ADA Grab Bar	

Configure an **Auto-Drain™ Thermostatic/Pressure Balancing System With Integrated Drain**
A single model number for everything you need for your project.



Build your own shower system with the components you want and order with a single number. Your model number must begin with "SH-TP4-".

The remaining spaces must have a number or "0" for none. Refer to chart on the bottom of the page.

Position	1	2	3	4	5
SH-TP4 - Integrated Drain	X	X	-	X	X

Model number example: SH-TP4-22-033

System with an Auto-Drain™ thermostatic/pressure balance valve with integrated drain (TP4), diverter valve (2), 620-CP shower head (2), no tub spout (0), 150-ADPVCW hand spray assembly (3), and a 9800-024CP ADA grab bar (3).

1 Diverter Valve



2 774-CP

Insert "0" in none.

2



1 600-CP 2.5 GPM



2 620-CP 2.5 GPM

Shower Heads with Flange and Arm



4 621-CP 2.0 GPM



6 622-CP 2.5 GPM
Insert "0" in none.

3

Tub Spout



0 Not available

4 Hand Spray Assembly



2 150-ADCP 2.5 GPM hand spray, 69.5" Auto-Drain stainless steel hose

3 150-ADPVCW 2.5 GPM hand spray, 69.5" Auto-Drain white vinyl hose

6 1.75 GPM hand spray, 69.5" Auto-Drain stainless steel hose

7 1.75 GPM hand spray, 69.5" Auto-Drain white vinyl hose

Insert "0" in none.

5 Grab/Slide Bars



1 9800-124CP



3 9800-024CP



4 9800-036CP

2 9800-148CP

Insert "0" in none.

Thermostatic/Pressure Balance Configurator Reference Chart

Position	Code	Description
1	0	No Diverter Valve
	2	774-CP Diverter Valve with Traditional Handle
2	0	No Shower Head
	1	600-CP 2.5 GPM Shower Head with Adjustable Spray
	2	620-CP 2.5 GPM Shower Head with Swivel Mount
	4	621-CP 2.0 GPM Ligature Resistant Shower Head
3	6	622-CP 2.5 GPM Shower Head with Adjustable Spray
	0	No Tub Spout

Position	Code	Description
4	0	No Hand Spray
	2	2.5 GPM Spray, 69.5" Stainless Steel Hose, Elbow, Auto-Drain
	3	2.5 GPM Spray, 69.5" White Vinyl Hose, Elbow, Auto-Drain
	6	1.75 GPM Spray, 69.5" Stainless Steel Hose, Elbow, Auto-Drain
	7	1.75 GPM Spray, 69.5" White Vinyl Hose, Elbow, Auto-Drain
5	0	Wall Hook Only, No Slide or Grab Bar
	1	9800-124CP 24" Stainless Steel Slide Bar
	2	9800-148CP 48" Stainless Steel Slide Bar
	3	9800-024CP 24" ADA Grab Bar
4	4	9800-036CP 36" ADA Grab Bar

Configure an **Auto-Drain™ Thermostatic/Pressure Balancing System With Separate Drain**
A single model number for everything you need for your project.



Build your own shower system with the components you want and order with a single number. Your model number must begin with "SH-TP5-" or "SH-TP6". The remaining spaces must have a number or "0" for none. Refer to chart on the bottom of the page.

Position	1	2	3	4	5
SH-TP5- Round Trim	X	X	-	X	X
SH-TP6- Square Trim	X	X	-	X	X

Model number example: SH-TP6-36-022

System with a thermostatic/pressure balance valve with square trim (TP6), diverter valve (3), 622-CP shower head (6), no tub spout (0), 624-CP hand spray assembly (2), and a 9800-148CP slide bar (2).

1 Diverter Valve



2 774-CP

3 773-CP

Insert "0" in none.

2

Shower Heads with Flange and Arm



1 600-CP 2.5 GPM

2 620-CP 2.5 GPM

4 621-CP 2.0 GPM

6 622-CP 2.5 GPM
Insert "0" in none.

3

Tub Spout



0 Not available

4 Hand Spray Assembly



2 2.5 GPM hand spray, 69.5" Auto-Drain stainless steel hose


3 2.5 GPM hand spray, 69.5" Auto-Drain white vinyl hose

6 1.75 GPM hand spray, 69.5" Auto-Drain stainless steel hose

7 1.75 GPM hand spray, 69.5" Auto-Drain white vinyl hose

Insert "0" in none.

5 Grab/Slide Bars



1 9800-124CP



3 9800-024CP



4 9800-036CP

2 9800-148CP

Insert "0" in none.

Thermostatic/Pressure Balance Configurator Reference Chart

Position	Code	Description
1	0	No Diverter Valve
	2	774-CP Diverter Valve with Traditional Handle
	3	773-CP Diverter Valve with Modern Lever Handle
2	0	No Shower Head
	1	600-CP 2.5 GPM Shower Head with Adjustable Spray
	2	620-CP 2.5 GPM Shower Head with Swivel Mount
	4	621-CP 2.0 GPM Ligature Resistant Shower Head
	6	622-CP 2.5 GPM Shower Head with Adjustable Spray
3	0	No Tub Spout

Position	Code	Description
4	0	No Hand Spray
	2	2.5 GPM Spray, 69.5" Stainless Steel Hose, Elbow, Auto-Drain
	3	2.5 GPM Spray, 69.5" White Vinyl Hose, Elbow, Auto-Drain
	6	1.75 GPM Spray, 69.5" Stainless Steel Hose, Elbow, Auto-Drain
	7	1.75 GPM Spray, 69.5" White Vinyl Hose, Elbow, Auto-Drain
5	0	Wall Hook Only, No Slide or Grab Bar
	1	9800-124CP 24" Stainless Steel Slide Bar
	2	9800-148CP 48" Stainless Steel Slide Bar
	3	9800-024CP 24" ADA Grab Bar
	4	9800-036CP 36" ADA Grab Bar



We are a member of the U.S. Green Building Council and support the Leadership in Energy and Environmental Design (LEED) Green Building Rating System™, to measure the efficiency and sustainability of buildings in the U.S. and Canada. If you are trying to achieve LEED Certification for your building, our low-flow outlets, metering cartridges, and touchless faucets can contribute points in these areas: Water Efficiency Credit 2: Innovative Wastewater Technologies and Water Efficiency Credit 3: Water Use Reduction.



We are proud to be a partner with WaterSense®, sponsored by the EPA and designed to protect the future of our nation's water supply by promoting efficiency and enhancing the market for water efficient products, programs, and practices.



We are a charter sponsor of the Alliance for Water Efficiency, a non-profit organization that is dedicated to the efficient and sustainable use of water. It brings together a diverse range of stakeholders to advocate water efficiency and conservation.

CHICAGO FAUCETS®

Geberit Group

Chicago Faucets, a member of the Geberit Group, is the leading brand of commercial faucets and fittings in the United States, offering a complete range of products for schools, laboratories, hospitals, office buildings, food service, airports, and sports facilities. Whatever your requirements may be, Chicago Faucets offers standard and made-to-order products that are designed to meet any commercial application.

© 2024 The Chicago Faucet Company. Product specifications subject to change without notice.

CF2120 08/24

2100 South Clearwater Drive, Des Plaines, IL 60018

Phone: 847/803-5000 | Fax: 847/803-5454 | Technical: 800/832-8783 | www.chicagofaucets.com

